




ERSATZTEILLISTE

Condair EL
gültig von 01.01. bis 31.12.2020

Luftbefeuchtung, Entfeuchtung
und Verdunstungskühlung


 **condair**

Position	Ersatzteile	Zusatz	200 V / 1 [~]	230 V / 1 [~]	240 V / 1 [~]	200 V / 3 [~]	230 V / 3 [~]	400 V / 3 [~]	415 V / 3 [~]	440 V / 3 [~]	460 V / 3 [~]	480 V / 3 [~]	500 V / 3 [~]	600 V / 3 [~]	SAP-Nr.
100	Sensorstecker mit Kabel	pro Zylinder	1	1	1	1	1	1	1	1	1	1	1	1	2584641
101	Kabelbaum kpl.	5...8 kg/h		1	1										2584642
		5...8 kg/h					1	1	1	1	1	1	1	1	2584646
		10 kg/h		1	1										2584643
		10...15 kg/h					1	1	1	1	1	1	1	1	2584644
		20...24 kg/h					1								2584645
		20...24 kg/h						1	1	1	1	1	1	1	2584644
		30 kg/h					1	1	1						2584645
		30 kg/h								1	1	1	1	1	2584644
		35...45 kg/h					2	1	1	1	1	1	1	1	2584645
		50 kg/h					2								2584645
		50 kg/h						2	2	2	2	2	2	2	2584644
		60 kg/h					2	2	2						2584645
		60 kg/h								2	2	2	2	2	2584644
		70...90 kg/h					3	2	2	2	2	2	2	2	2584645
		105...135 kg/h					4	3	3						2584645
		152...180 kg/h						4	4						2584645
		L 50...90 kg/h						1	1						2584647
		Japan													
		5...8 kg/h	1												2584639
		5...8 kg/h				1									2584640
		10...15 kg/h				1									2584677
		20 kg/h				1									2584679
		24...30 kg/h				1									2584678
		35...40 kg/h				2									2584679
		50...60 kg/h				2									2584678
102	Dampfzylinderstecker, 3 Stk.	Ø 5 mm (5...8 kg/h)				1	1	1							1102495
		Ø 6 mm (5...45 kg/h)	1	1	1	1	1	1	1	1	1	1	1	1	1101868
103	Klammern zu reinigbarem Dampfzylinder, 4 Stk.		1	1	1	1	1	1	1	1	1	1	1	1	1115790
104	O-Ring zu reinigbarem Dampfzylinder	D301 (5...8 kg/h)	1	1	1	1	1	1	1	1	1	1	1	1	1115787
		D401 (10...15 kg/h)				1	1	1	1	1	1	1	1	1	1115788
		D601 (20...45 kg/h)				1	1	1	1	1	1	1	1	1	1115789
105	Dichtungsring zu reinigbarem Dampfzylinder, 4 Stk.			1	1	1	1	1	1	1	1	1	1	1	1102225
106	gesondert DZ-Preisliste	E342 (D342)	1	1	1										
		E343 (D343/363)				1	1	1	1	1	1	1	1	1	
		E444 (D444/464)				1	1	1	1	1	1	1	1	1	
		E644 (D644/664)						1	1	1	1	1	1	1	
		E654 (D654/674)						1	1	1	1	1	1	1	




Position	Ersatzteile	Zusatz	200 V / 1 [~]	230 V / 1 [~]	240 V / 1 [~]	200 V / 3 [~]	230 V / 3 [~]	400 V / 3 [~]	415 V / 3 [~]	440 V / 3 [~]	460 V / 3 [~]	480 V / 3 [~]	500 V / 3 [~]	600 V / 3 [~]	SAP-Nr.
107	Schikanen zu reinigbarem Dampfzylinder	D363						1	1	1	1	1	1	1	1115784
		D464						1	1	1	1	1	1	1	1115785
		D664/674						1	1	1	1	1	1	1	1115786
108	Sieb zu reinigbarem Dampfzylinder	3-600	1	1	1	1	1	1	1	1	1	1	1	1	1106695
109	gesondert DZ-Preisliste	A342 (5...8 kg/h)	1	1	1										
		A343 (5...8 kg/h)				1	1	1*							
		A363 (5...8 kg/h)						1	1	1	1	1	1	1	
		A444 (10...15 kg/h)				1	1	1*						1	
		A464 (10...15 kg/h)						1	1	1	1	1	1	1	
		A644 (24...30 kg/h)				1	1	1*							
		A654 (20 kg/h)				1	1	1*							
		A664 (35...40 kg/h)						1	1	1	1	1	1	1	
		A674 (20...30 kg/h)						1	1	1	1	1	1	1	
110	gesondert DZ-Preisliste	D342 (5...8 kg/h)	1	1	1										
		D343 (5...8 kg/h)				1	1	1*							
		D363 (5...8 kg/h)						1	1	1	1	1	1	1	
		D444 (10...15 kg/h)				1	1	1*						1	
		D464 (10...15 kg/h)						1	1	1	1	1	1	1	
		D644 (24...30 kg/h)				1	1	1*							
		D654 (20 kg/h)				1	1	1*							
		D664 (35...45 kg/h)						1	1	1	1	1	1	1	
		D674 (20...30 kg/h)						1	1	1	1	1	1	1	
111	gesondert DZ-Preisliste	D301 (5...8 kg/h)	1	1	1	1	1	1	1	1	1	1	1	1	
		D401 (10...15 kg/h)				1	1	1	1	1	1	1	1	1	
		D601 (20...45 kg/h)				1	1	1	1	1	1	1	1	1	
112	Spannband Dampfzylinder	5...8 kg (L = 640 mm)	1												2584622
		10...15 kg (L = 790 mm)	1												2584623
		20...45 kg (L = 1070 mm)	1												2584624
113	Zylinderisolation (ECO+ Manschette)	Typ 300	1	1	1	1	1	1	1	1	1	1	1	1	2598328
		Typ 400	1	1	1	1	1	1	1	1	1	1	1	1	2598329
		Typ 500	1	1	1	1	1	1	1	1	1	1	1	1	2598330


* Niedrige Leitfähigkeit < 125 µS



[illegible]




[illegible]



Position	Ersatzteile	Zusatz	200 V / 1 ²	230 V / 1 ²	240 V / 1 ²	200 V / 3 ²	230 V / 3 ²	400 V / 3 ²	415 V / 3 ²	440 V / 3 ²	460 V / 3 ²	480 V / 3 ²	500 V / 3 ²	600 V / 3 ²	SAP-Nr.
311	Zusatzplatine	5...180 kg/h	1	1	1	1	1	1	1	1	1	1	1	1	2585083
312	Transformator	S / M 5...45 kg/h	1	1	1	1	1	1	1	1	1	1	1	1	2584686
		2xM / L 35...90 kg/h				1	1	1	1	1	1	1	1	1	2584687
313 *	Türe Wasserseite	5...15 kg/h	1	1	1	1	1	1	1	1	1	1	1	1	2579910
		20...45 kg/h				1	1	1	1	1	1	1	1	1	2579911
314 *	Türe Elektronikseite	5...15 kg/h	1	1	1	1	1	1	1	1	1	1	1	1	2579912
		20...45 kg/h				1	1	1	1	1	1	1	1	1	2579913
	Türe Elektronikseite ohne Displayausschnitt	20...45 kg/h	1	1	1	1	1	1	1	1	1	1	1	1	2579914
315	Bedienungspanel	5...15 kg/h	1	1	1	1	1	1	1	1	1	1	1	1	2579915
		20...45 kg/h				1	1	1	1	1	1	1	1	1	2579916
316	Dampfschlauch	DS22 (Ø22/31mm)	1	1	1	1	1	1	1	1	1	1	1	1	2586142
		DS60 (Ø30/40mm)				1	1	1	1	1	1	1	1	1	2586144
		DS80 (Ø45/57mm)				1	1	1	1	1	1	1	1	1	2586147
317	Schlauchbride, 2 Stk.	für DS22	1	1	1	1	1	1	1	1	1	1	1	1	1100432
		für DS60				1	1	1	1	1	1	1	1	1	2538894
		für DS80				1	1	1	1	1	1	1	1	1	2538898
318	Stromsensoren kpl.	pro Zylinder	1	1	1	1	1	1	1	1	1	1	1	1	2584757
-	Kabel, Stromsensoren zu Treiberplatine	pro Zylinder	1	1	1	1	1	1	1	1	1	1	1	1	2584758
-	Kondensatschlauch	KS10 (Ø8/12mm)	1	1	1	1	1	1	1	1	1	1	1	1	1103350
-	Verbindungskanal IC zu Treiberplatine	S / M 5...180 kg/h	1	1	1	1	1	1	1	1	1	1	1	1	2579925
		L 50...90 kg/h						1	1						2584635
-	Verbindungskabel Treiberplatine A und B	1.5 m - 35...90 kg/h					1	1	1	1	1	1	1	1	2579894
		6.0 m - 35...90 kg/h					1	1	1	1	1	1	1	1	2583670
		L 35...90 kg/h						1	1						2584638
-	Kabel Treiberplatine zu Einlassventil und Ablaufpumpe	5...15 kg/h	1	1	1	1	1	1	1	1	1	1	1	1	2584636
		20...45 kg/h				1	1	1	1	1	1	1	1	1	2584637
		L 50...90 kg/h						1	1						2584638
-	Linkupkabel	2.6 m - 35...90 kg/h													2584154
		6.0 m - 70...135 kg/h													2584155
-	Sicherungsset	5x20 500mA, 3 Stk.													2584688
		5x20 1AT, 3 Stk.													2545846
		5x20 4AT, 3 Stk.													2543993
		6.3x32 6.3AT, 3 Stk.													2560451

* Lieferfrist ca. 6 Wochen



Condair GmbH

Regionalcenter **Süd**

Parkring 3
D-85748 Garching
Tel. +49 (0) 89 / 20 70 08-0
Fax +49 (0) 89 / 20 70 08-140

Regionalcenter **Südwest**

Zettachring 6
D-70567 Stuttgart
Tel. +49 (0) 711 / 25 29 70-0
Fax: +49 (0) 711 / 25 29 70-40

Regionalcenter **Mitte**

Nordendstraße 2
D-64546 Mörfelden-Walldorf
Tel. +49 (0) 61 05 / 963 88-0
Fax +49 (0) 61 05 / 963 88-40

Regionalcenter **West**

Werftstraße 25
D-40549 Düsseldorf
Tel. +49 (0) 211 / 54 20 35-0
Fax +49 (0) 211 / 54 20 35-60

Regionalcenter **Nord**

Lüneburger Straße 4
D-30880 Laatzen - Rethen
Tel. +49 (0) 5102 / 79 59 8-0
Fax +49 (0) 5102 / 79 59 8-40

Regionalcenter **Ost**

Chausseestraße 88
D-10115 Berlin
Tel. +49 (0) 30 / 921 03 44 -0
Fax +49 (0) 30 / 921 03 44-40

Condair **Österreich**

Perfektastraße 45
A-1230 Wien
Tel. +43 (0) 1 / 60 33 111-0
Fax +43 (0) 1 / 60 33 111 399